


Listing of claims:

The following listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A compound of the formula:



or a pharmaceutically acceptable salt thereof, wherein

n is 0, 1, 2, 3, or 4;

R₁ is H, C₁-C₆ alkyl, phenyl(C₁-C₆)alkyl, or C₃-C₆ alkenyl;

R₂ is phenyl, phenyl(C₁-C₄) alkyl, C₁-C₆ alkyl, -(C₁-C₄) alkyl-C(O)NH₂, -(C₁-C₄) alkyl-C(O)NH(C₁-C₄)alkyl, -(C₁-C₄) alkyl-C(O)N(C₁-C₄)alkyl(C₁-C₄)alkyl, -(C₁-C₄) alkyl-S(O)_b-(C₁-C₄) alkyl, (C₁-C₄) hydroxyalkyl, -(C₁-C₄) alkyl-heterocycloalkyl, wherein the heterocycloalkyl group is optionally fused to a phenyl ring and wherein the heterocycloalkyl portion, the phenyl portion, or both are optionally substituted with a total of 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, -SO₂-(C₁-C₄) alkyl, haloalkyl, or haloalkoxy; wherein b is 0, 1, or 2;

R₂₀, R₂₁, R₂₂, and R₂₃ are independently H, arylalkoxy, arylalkyl, halogen, alkyl, haloalkyl, OH, alkoxy, NO₂, NH₂, NH(C₁-C₆)alkyl, N(C₁-C₆ alkyl)(C₁-C₆ alkyl), NH-aryl, NHC(O)-(C₁-C₄ alkyl)-aryl, N(C₁-C₄ alkyl)C(O)-(C₁-C₄)alkyl-aryl, N(C₁-C₄)alkyl-aryl, -NHSO₂-aryl, or -N(C₁-C₄alkyl)SO₂aryl, wherein each of the above aryl groups are optionally substituted with 1, 2, 3, or 4 groups that are independently C₁-C₆

alkyl, C₁-C₆ alkoxy, halogen, OH, NO₂, haloalkyl,
haloalkoxy;

L is ~~SO₂NH-~~, ~~SO₂N(C₁-C₄) alkyl~~, ~~NHSO₂-~~, ~~N(C₁-C₄alkyl)SO₂-~~, ~~O-~~,
~~-C(O)NH-~~, ~~C(O)N(C₁-C₄)alkyl~~, ~~SO₂-~~, ~~C(O)-(C₁-C₄) alkyl~~,
~~-(C₁-C₄) alkyl-C(O)-~~, ~~NH-~~, ~~(C₁-C₆ alkyl) O N=~~, or ~~N(C₁-C₄~~
~~alkyl)~~, wherein the alkyl group is optionally substituted
with phenyl, wherein the phenyl is optionally substituted
with 1, 2, 3, or 4 groups that are independently C₁-C₆
alkyl, C₁-C₆ alkoxy, halogen, OH, NO₂, haloalkyl, or
haloalkoxy;

L₃ is a bond, ~~absent~~, ~~-(C₁-C₄)alkyl-O-~~, ~~-O-(C₁-C₄)alkyl~~, ~~-(C₁-C₄)~~
~~alkyl-~~, ~~-C(O)-~~, ~~-C(O)NH-~~, or ~~-NHC(O)-~~;

the A-ring is aryl selected from the group consisting of phenyl,
naphthyl and fluorenyl, ~~or heteroaryl~~, each of which is
optionally substituted with 1, 2, or 3 groups that are
independently, halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, C₁-C₄
haloalkyl, C₁-C₄ haloalkoxy, NO₂, NH₂, NH(C₁-C₆)alkyl, N(C₁-
C₆)alkyl(C₁-C₆)alkyl;

Q is ~~H-~~, aryl, heteroaryl, -heteroaryl-alkyl, -aryl-heteroaryl,
aryl-C(O)-aryl, aryl-(C₁-C₄ alkyl)-aryl, heteroaryl-(C₁-C₄
alkyl)-aryl, -heteroaryl-aryl, wherein the aryl group is a
phenyl, naphthyl, or fluorenyl, each of which is optionally
substituted with 1, 2, 3, or 4 groups that are
independently C₁-C₆ alkyl, C₁-C₄ alkoxycarbonyl, C₁-C₆
alkoxy, halogen, haloalkyl, haloalkoxy, NR₆R₇, or phenyl;
wherein

R₆ and R₇ are independently H, C₁-C₆ alkyl, aryl(C₁-C₆)alkyl,
alkanoyl, arylalkanoyl, alkoxycarbonyl,
arylalkoxycarbonyl, heteroarylcarbonyl, heteroaryl,
heterocycloalkylcarbonyl, -C(O)NH₂, -C(O)NH(C₁-
C₆)alkyl, -C(O)N(C₁-C₆)alkyl(C₁-C₆)alkyl, or -SO₂-aryl,
wherein the cyclic groups are optionally substituted

with 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, NO₂, OH, NH₂, NH(C₁-C₆)alkyl, N(C₁-C₆)alkyl(C₁-C₆)alkyl, haloalkyl or haloalkoxy

provided that when Q is heteroaryl, -heteroaryl-alkyl, heteroaryl-(C₁-C₄ alkyl)-aryl, or -heteroaryl-aryl, wherein the heteroaryl group is not benzofuranyl, benzothienyl, oxazolyl, or 2,3-dihydrothienyl, then L₃ is not a bond and

provided that the compound is not:

(2R)-2-((3,5-dichloro-3'-phenyl(1,1'-biphenyl)-4-yl)oxy)-3-phenylpropanoic acid, or

2-(4'-(2-benzylfuro[2,3-b]pyridin-3-yl)biphenyl-4-yloxy)-3-phenylpropanoic acid.

2. (Currently Amended) A compound according to claim 1, wherein

R₂ is phenyl, phenyl(C₁-C₄) alkyl, C₁-C₆ alkyl, -(C₁-C₄) alkyl-C(O)NH₂, -(C₁-C₄) alkyl-C(O)NH(C₁-C₄)alkyl, -(C₁-C₄) alkyl-C(O)N(C₁-C₄)alkyl(C₁-C₄)alkyl, -(C₁-C₄) alkyl-S(O)_b-(C₁-C₄) alkyl, (C₁-C₄) hydroxyalkyl, -(C₁-C₄) alkyl-phthalimidyl, -(C₁-C₄) alkyl-piperidinyl, -(C₁-C₄) alkyl-pyrrolidinyl, -(C₁-C₄) alkyl-morpholinyl, wherein the phthalimidyl, piperidinyl, pyrrolidinyl, or morpholinyl groups are optionally fused to a phenyl ring and wherein said phthalimidyl, piperidinyl, pyrrolidinyl, or morpholinyl groups are, the phenyl portion, or both are optionally substituted with a total of 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, -SO₂-(C₁-C₄) alkyl (C₁-C₄)haloalkyl, or (C₁-C₄)haloalkoxy; wherein b is 0, 1, or 2; and

Q is ~~H~~, pyrido[1,2-a]indolyl, indolyl, isoindolyl, indolizinyll, imidazo[1,2-a]pyridine, -phenyl-C(O)-phenyl, -phenyl-(C₁-C₄) alkyl-phenyl, -pyridyl-phenyl, fluorenyl, -fluorenyl-pyridyl, -fluorenyl-phenyl, -benzofuranyl-(C₁-C₄) alkyl-phenyl, -benzimidazolyl-(C₁-C₄) alkyl-phenyl, benzoxazolyl-(C₁-C₄) alkyl-phenyl, indolizinyll, benzofuranyl, -indolyl-(C₁-C₄)alkyl-phenyl, -phenyl-benzoxazolyl, benzo[b]thienyl, dibenzo[b,d]furan, phenyl, or dibenzothienyl, each of which is optionally substituted with 1, 2, 3, or 4 groups that are independently C₁-C₆ alkyl, C₁-C₄ alkoxy, C₁-C₆ alkoxy, halogen, haloalkyl, haloalkoxy, NR₆R₇, or phenyl; wherein

R₆ and R₇ are independently H, C₁-C₆ alkyl, aryl(C₁-C₆)alkyl, alkanoyl, phenyl(C₁-C₄)alkanoyl, alkoxy, carbonyl, phenyl(C₁-C₄)alkoxy, carbonyl, pyridyl, piperidinyll, pyrrolidinyl, -C(O)NH₂, -C(O)NH(C₁-C₆)alkyl, -C(O)N(C₁-C₆)alkyl(C₁-C₆)alkyl, or -SO₂-phenyl, wherein the cyclic groups are optionally substituted with 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, NO₂, OH, NH₂, NH(C₁-C₆)alkyl, N(C₁-C₆)alkyl(C₁-C₆)alkyl, CF₃ or OCF₃.


3. (Currently Amended) A compound according to claim 2, wherein

the A-ring is selected from phenyl, or naphthyl, ~~pyridyl, thiazolyl, benzofuranyl, dibenzofuranyl, pyrrolyl, furanyl, isoindolyl, or indolyl~~ each of which is optionally substituted with 1, 2, or 3 groups that are independently, halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkyl, C₁-C₄ haloalkoxy, NO₂, NH₂, NH(C₁-C₆)alkyl, or N(C₁-C₆)alkyl(C₁-C₆)alkyl; and

R₂₀, R₂₁, R₂₂, and R₂₃ are independently H, phenylalkoxy, phenylalkyl, halogen, alkyl, CF₃, OH, alkoxy, NO₂, NH₂, NH(C₁-C₆)alkyl, N(C₁-C₆)alkyl(C₁-C₆)alkyl, NH-phenyl, NHC(O)-(C₁-C₄) alkyl-phenyl, N(C₁-C₄ alkyl)C(O)-(C₁-C₄) alkyl-phenyl, N(C₁-C₄)alkyl-phenyl, -NHSO₂-phenyl, or -N(C₁-C₄alkyl)SO₂phenyl, wherein the phenyl groups are optionally substituted with 1, 2, 3, or 4 groups that are independently C₁-C₆ alkyl, C₁-C₆ alkoxy, halogen, OH, NO₂, C₁-C₂ haloalkyl, or C₁-C₂ haloalkoxy.

4. (Cancelled)

5. (Currently Amended) A compound according to claim ~~4~~ 3, of the formula



wherein

R₁ is H or C₁-C₆ alkyl;

R₂ is phenyl, phenyl(C₁-C₄) alkyl, C₁-C₆ alkyl, -(C₁-C₄) alkyl-C(O)NH₂, -(C₁-C₄) alkyl-S(O)_b-(C₁-C₄) alkyl, or (C₁-C₄) hydroxyalkyl, wherein the phenyl groups are optionally substituted with 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, -SO₂-(C₁-C₄) alkyl, (C₁-C₄)haloalkyl, or (C₁-C₄)haloalkoxy;

v is 0, 1, 2, 3, or 4;

R₁₀ at each occurrence is independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkyl, C₁-C₄ haloalkoxy, NO₂, NH₂, NH(C₁-C₆)alkyl, or N(C₁-C₆)alkyl(C₁-C₆)alkyl; and

L₃ is a bond, ~~absent~~, -O-(C₁-C₄)alkyl, -(C₁-C₄) alkyl-, or -C(O)-.

6. (Currently Amended) A compound according to claim 5, wherein

Q is ~~H~~, pyrido[1,2-a]indolyl, indolyl, imidazo[1,2-a]pyridine, -phenyl-C(O)-phenyl, -phenyl-(C₁-C₄) alkyl-phenyl, fluorenyl, -benzofuranyl-(C₁-C₄) alkyl-phenyl, indolizinyll, benzofuranyl, -indolyl-(C₁-C₄)alkyl-phenyl, -phenyl-benzoxazolyl, benzo[b]thienyl, dibenzo[b,d]furan, phenyl, or dibenzothienyl, each of which is optionally substituted with 1, 2, 3, or 4 groups that are independently C₁-C₆ alkyl, C₁-C₄ alkoxycarbonyl, C₁-C₆ alkoxy, halogen, haloalkyl, haloalkoxy, NR₆R₇, or phenyl; wherein


R₆ and R₇ are independently H, C₁-C₆ alkyl, aryl(C₁-C₆)alkyl, alkanoyl, phenyl(C₁-C₄)alkanoyl, alkoxycarbonyl, phenyl(C₁-C₄)alkoxycarbonyl, pyridylcarbonyl, pyridyl, pyrrolidinylcarbonyl, or -SO₂-phenyl, wherein the cyclic groups are optionally substituted with 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, NO₂, OH, NH₂, NH(C₁-C₆)alkyl, N(C₁-C₆)alkyl(C₁-C₆)alkyl, CF₃ or OCF₃.

7. (Original) A compound according to claim 6, wherein R₂ is phenyl, phenyl(C₁-C₄) alkyl, or (C₁-C₆)alkyl, wherein the phenyl groups are optionally substituted with 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, or -SO₂-(C₁-C₄) alkyl, CF₃ or OCF₃; and R₂₀, R₂₁, R₂₂, and R₂₃ are independently selected from H, halogen, alkyl, OH, alkoxy, NO₂, NH₂, NH(C₁-C₆)alkyl, or N(C₁-C₆)alkyl(C₁-C₆)alkyl).

8. (Original) A compound according to claim 7, wherein L₃ is a bond, -O-(C₁-C₄)alkyl, -(C₁-C₄) alkyl-, or -C(O)-;

Q is indolyl, -phenyl-C(O)-phenyl, -benzofuranyl-(C₁-C₄) alkyl-phenyl, indoliziny, benzofuranyl, -indolyl-(C₁-C₄)alkyl-phenyl, benzo[b]thienyl, dibenzo[b,d]furan, phenyl, or dibenzothienyl, each of which is optionally substituted with 1, 2, 3, or 4 groups that are independently C₁-C₆ alkyl, C₁-C₄ alkoxy, carbonyl, C₁-C₆ alkoxy, halogen, haloalkyl, haloalkoxy, NR₆R₇, or phenyl; wherein R₆ and R₇ are independently H, C₁-C₆ alkyl, phenyl(C₁-C₆)alkyl, alkanoyl, phenyl(C₁-C₄)alkanoyl, alkoxy, carbonyl, pyridyl, carbonyl, pyridyl, pyrrolidinyl, carbonyl, or -SO₂-phenyl, wherein the cyclic groups are optionally substituted with 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, NO₂, OH, NH₂, NH(C₁-C₆)alkyl, N(C₁-C₆)alkyl(C₁-C₆)alkyl, CF₃ or OCF₃.

9. (Original) A compound according to claim 8 of the formula:



10-13. (Withdrawn)

14. (Currently Amended) A compound according to claim ~~13~~ 9, wherein

R₁ is H;

R₂₁ is H, NO₂, C₁-C₆ alkyl, or halogen; and

R₂ is phenyl, phenyl(C₁-C₄)alkyl, or (C₁-C₆)alkyl, wherein each phenyl group is optionally substituted with 1, 2, 3, or 4

groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, or -SO₂-(C₁-C₄) alkyl, CF₃ or OCF₃.

15. (Original) A compound according to claim 14, wherein L₃ is a bond, -O-(C₁-C₄)alkyl, or -(C₁-C₄) alkyl-; Q is indolyl, -phenyl-C(O)-phenyl, -benzofuranyl-(C₁-C₄) alkyl-phenyl, indolizinyll, benzofuranyl, or -indolyl-(C₁-C₄)alkyl-phenyl, each of which is optionally substituted with 1, 2, 3, or 4 groups that are independently C₁-C₆ alkyl, C₁-C₄ alkoxy, carbonyl, C₁-C₆ alkoxy, halogen, haloalkyl, haloalkoxy, NR₆R₇, or phenyl; wherein R₆ and R₇ are independently H, C₁-C₆ alkyl, phenyl(C₁-C₆)alkyl, alkanoyl, phenyl(C₁-C₄)alkanoyl, alkoxy, carbonyl, pyridylcarbonyl, pyrrolidinylcarbonyl, or -SO₂-phenyl, wherein the cyclic groups are optionally substituted with 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, NO₂, OH, NH₂, NH(C₁-C₆)alkyl, N(C₁-C₆)alkyl(C₁-C₆)alkyl, CF₃ or OCF₃.

16-27. (Withdrawn)

30. (Currently Amended) A compound according to claim 1 selected from the group consisting of

{4'-[3-(benzylamino)imidazo[1,2-a]pyridin-2-yl]biphenyl-4-yl}oxy)(phenyl)acetic acid;

{[4'-(5-methyl-1H-indol-1-yl)biphenyl-4-yl}oxy)(phenyl)acetic acid;

{4'-[3-(butylamino)imidazo[1,2-a]pyridin-2-yl]biphenyl-4-yl}oxy)(phenyl)acetic acid;

methyl ({4'-[(2-benzoylphenoxy)methyl]biphenyl-4-yl}oxy)(phenyl)acetate;
 methyl ({4'-[(2-benzylphenoxy)methyl]biphenyl-4-yl}oxy)(phenyl)acetate;
 methyl ({4'-[(9H-fluoren-2-yloxy)methyl]biphenyl-4-yl}oxy)(phenyl)acetate;
 methyl ({4'-[(3-benzoylphenoxy)methyl]biphenyl-4-yl}oxy)(phenyl)acetate;
 ({4'-[(3-benzoylphenoxy)methyl]biphenyl-4-yl}oxy)(phenyl)acetic acid;
 ({4'-[(2-benzoylphenoxy)methyl]biphenyl-4-yl}oxy)(phenyl)acetic acid;
~~2-{{4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl}oxy} 3-phenylpropanoic acid;~~
 {[4'-(1-butyldolizidin-2-yl)biphenyl-4-yl}oxy)(phenyl)acetic acid;
~~[4-(1-benzyl-1H-indol-6-yl)phenoxy](phenyl)acetic acid;~~
 ({4'-[10-(ethoxycarbonyl)pyrido[1,2-a]indol-3-yl]biphenyl-4-yl}oxy)(phenyl)acetic acid;
 {[4'-(1-benzofuran-2-yl)biphenyl-4-yl}oxy)(phenyl)acetic acid;
 {[4'-(1H-indol-1-yl)biphenyl-4-yl}oxy)(phenyl)acetic acid;
 methyl {[4'-(1-benzyl-1H-indol-6-yl)biphenyl-4-yl}oxy)(phenyl)acetate;
~~4-(4'-Dibenzofuran-4-yl-biphenyl-4-yl)-4-oxo-2-(3-trifluoromethyl-benzyl)-butyric acid~~
 {[4'-(1-benzyl-1H-indol-6-yl)biphenyl-4-yl}oxy)(phenyl)acetic acid;
 {[4'-(1-benzyl-1H-indol-5-yl)biphenyl-4-yl}oxy)(phenyl)acetic acid;

2-([4'-(1-butylindolizin-2-yl)biphenyl-4-yl]oxy)propanoic acid;

~~N-([4'-(1-butylindolizin-2-yl)biphenyl-4-yl]sulfonyl)phenylalanine;~~

~~N-([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl)phenylalanine;~~

~~N-benzyl-N-([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl)glycine;~~

~~([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl)amino)(phenyl)acetic acid;~~

(2R)-2-([4'-(1-butylindolizin-2-yl)biphenyl-4-yl]oxy)-3-phenylpropanoic acid;

(2S)-2-([4'-(1-butylindolizin-2-yl)biphenyl-4-yl]oxy)-4-phenylbutanoic acid;

~~([4'-[(2-butyl-1-benzofuran-3-yl)methyl]biphenyl-4-yl]oxy)(phenyl)acetic acid;~~

~~ethyl-N-([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl)-N-methylphenylalaninate;~~

~~N-([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl)-N-methylphenylalanine;~~

~~ethyl-N-([4'-(1-butylindolizin-2-yl)biphenyl-4-yl]carbonyl)phenylalaninate;~~

~~N-([4'-(1-butylindolizin-2-yl)biphenyl-4-yl]carbonyl)phenylalanine;~~

{[2'-(1,3-benzoxazol-2-yl)-1,1':4',1''-terphenyl-4-yl]oxy}(phenyl)acetic acid;

([4'-[(2-butyl-1-benzofuran-3-yl)carbonyl]biphenyl-4-yl]oxy)(phenyl)acetic acid;

~~methyl-([4'-(1-butylindolizin-2-yl)biphenyl-4-yl]sulfonyl)(phenyl)acetate;~~

~~N-([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]carbonyl)phenylalanine;~~
~~N-([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]carbonyl)-~~
~~N-methylphenylalanine;~~
~~{[4'-(1-butylindolizin-2-yl)biphenyl-4-yl]sulfonyl}(phenyl)acetic acid;~~
~~(([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]carbonyl)amino)(phenyl)acetic acid;~~
~~2-([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]oxy)propanoic acid;~~
~~{[4'-(1-butylindolizin-2-yl)biphenyl-4-yl]amino}(phenyl)acetic acid;~~
~~N-([4'-[(2-butyl-1-benzofuran-3-yl)methyl]biphenyl-4-yl]sulfonyl)-N-methylphenylalanine;~~
~~N-([4'-[(2-butyl-1-benzofuran-3-yl)methyl]biphenyl-4-yl]carbonyl)-N-methylphenylalanine;~~
~~N-([4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]carbonyl)-~~
~~N-methylvaline;~~
~~2-benzyl-4-[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]-~~
~~4-oxobutanoic acid;~~
~~N-[4'-(2-benzyl-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]phenylalanine;~~
~~N-[4'-(2-benzyl-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]-N-~~
~~methyl-L-phenylalanine;~~
~~N-[4'-(2-benzyl-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]-N-~~
~~methyl-D-phenylalanine;~~
~~N-([4'-(2-benzyl-1-benzofuran-3-yl)-3-fluorobiphenyl-4-yl]sulfonyl)phenylalanine;~~
~~{[4'-(1-benzothien-2-yl)biphenyl-4-yl]oxy}(phenyl)acetic~~
~~acid;~~

~~N-[4'-(2-benzyl-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]-N-(4-nitrobenzoyl)-L-phenylalanine;~~

~~[(4'-dibenzo[b,d]furan-4-ylbiphenyl-4-yl)oxy](phenyl)acetic acid;~~

~~N-{[4'-(2-benzyl-1-benzofuran-3-yl)-3-fluorobiphenyl-4-yl]sulfonyl}-N-methylphenylalanine;~~

~~[(4''-butyl-1,1':4',1''-terphenyl-4-yl)oxy](phenyl)acetic acid;~~

~~N²-[4'-(2-benzyl-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]glutamine;~~

~~4-[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]-2-[2-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)ethyl]-4-oxobutanoic acid;~~

~~[(4'-[(2-benzyl-7-fluoro-1-benzofuran-3-yl)carbonyl]biphenyl-4-yl)oxy](phenyl)acetic acid;~~

~~N-[4'-(2-benzyl-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]methionine;~~

~~N-[4'-(2-benzyl-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]serine;~~

~~N-[4'-(2-benzyl-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]alanine;~~

~~N-{4'-[(2-benzyl-7-ethoxy-1-benzofuran-4-yl)methyl]-3-nitrobiphenyl-4-yl}phenylalanine;~~

~~N-[4'-(2-benzyl-4-fluoro-1-benzofuran-3-yl)-3-nitrobiphenyl-4-yl]phenylalanine;~~

~~2-benzyl-4-[4'-(2-benzyl-1-benzofuran-3-yl)-3,5-dimethylbiphenyl-4-yl]-4-oxobutanoic acid;~~

~~2-benzyl-4-[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-3-yl]-4-oxobutanoic acid;~~

~~2-benzyl-4-[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-2-yl]-4-oxobutanoic acid;~~

~~N-{4'-(2-benzyl-1-benzofuran-3-yl)-3-
 [(phenylacetyl)amino]biphenyl-4-yl}phenylalanine;
 4-[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]-2-[4-
 (methylsulfonyl)benzyl]-4-oxobutanoic acid;
 N-[[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl]-
 4-fluorophenylalanine;
 N-[[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl]-
 4-fluoro-N-methylphenylalanine;
 N-[[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl]-
 3-fluorophenylalanine;
 N-[[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl]-
 3-fluoro-N-methylphenylalanine;
 N-[[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl]-
 N-ethyl-4-fluorophenylalanine;
 N-[[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-
 yl]sulfonyl]leucine;
 N-[[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-
 yl]sulfonyl]alanine;
 2-(((4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-
 yl]sulfonyl)amino)butanoic acid;
 4-(4-Dibenzofuran-4-yl-phenyl)-4-oxo-2-(3-trifluoromethyl-
 benzyl)-butyric acid;
 N-[[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl]-
 N-[3-(trifluoromethyl)benzyl]leucine;
 2-(((4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-
 yl]sulfonyl)[3-(trifluoromethyl)benzyl]amino)butanoic acid;
 methyl-4-(4'-dibenzo[b,d]furan-4-ylbiphenyl-4-yl)-4-oxo-2-
 [3-(trifluoromethyl)benzyl]butanoate;
 [(4'-{[(9-oxo-9H-fluoren-1-yl)oxy]methyl}biphenyl-4-
 yl)oxy](phenyl)acetic acid;~~

~~methyl {[4'-(1-benzofuran-2-yl)biphenyl-4-yl]oxy} (phenyl) acetate;~~
~~{[4'-(3-(butylamino)imidazo[1,2-a]pyridin-2-yl)biphenyl-4-yl]amino} (phenyl) acetic acid;~~
~~{[4'-(1-benzothien-3-yl)biphenyl-4-yl]oxy} (phenyl) acetic acid;~~
~~methyl {[4'-(1-benzyl-1H-indol-5-yl)biphenyl-4-yl]oxy} (phenyl) acetate;~~
~~ethyl ({[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]sulfonyl}amino) (phenyl) acetate;~~
~~methyl 2-(4-benzo[b]naphtho[2,3-d]furan-11-ylphenoxy)propanoate;~~
~~3-({[4'-(2-benzyl-1-benzofuran-3-yl)biphenyl-4-yl]carbonyl}amino)butanoic acid;~~
~~N-([4'-(5-methyl-1H-indol-1-yl)biphenyl-4-yl]carbonyl)phenylalanine;~~
~~N-([4'-(1H-indol-1-yl)biphenyl-4-yl]carbonyl)-L-phenylalanine;~~
~~N-(3'-fluoro-3-nitro-1,1':4',1''-terphenyl-4-yl)phenylalanine;~~
~~2-benzyl-4-[4'-(1H-indol-1-yl)biphenyl-4-yl]-4-oxobutanoic acid;~~
~~2-[4'-(2-Benzyl-benzofuran-3-yl)-3-nitro-biphenyl-4-ylamino]-3-phenyl-propionic acid;~~
~~4-(4'-dibenzo[b,d]furan-4-ylbiphenyl-4-yl)-4-oxo-2-[3-(trifluoromethyl)benzyl]butanoic acid;~~
~~[(4'-dibenzo[b,d]thien-4-ylbiphenyl-4-yl)oxy] (phenyl) acetic acid;~~
~~2-[4'-(2-Benzyl-benzofuran-3-yl)-3-fluoro-biphenyl-4-sulfonylamino]-3-phenyl-propionic acid;~~

~~2-([4'-(2-Benzyl-benzofuran-3-yl)-3-fluoro-biphenyl-4-sulfonyl]-methyl-amino)-3-phenyl-propionic acid;~~
~~4-[4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-yl]-2-[2-(1,3-dioxo-1,3-dihydro-isoindol-2-yl)-ethyl]-4-oxo-butyric acid;~~
~~2-Benzyl-4-[4'-(2-benzyl-benzofuran-3-yl)-3,5-dimethyl-biphenyl-4-yl]-4-oxo-butyric acid;~~
~~2-Benzyl-4-(4'-indol-1-yl-biphenyl-4-yl)-4-oxo-butyric acid;~~
~~2-Benzyl-4-[4'-(2-benzyl-benzofuran-3-yl)-biphenyl-3-yl]-4-oxo-butyric acid;~~
~~2-Benzyl-4-[4'-(2-benzyl-benzofuran-3-yl)-biphenyl-2-yl]-4-oxo-butyric acid;~~
~~4-[4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-yl]-2-(4-methanesulfonyl-benzyl)-4-oxo-butyric acid;~~
~~2-[4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-sulfonylamino]-3-(4-fluoro-phenyl)-propionic acid;~~
~~2-([4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-sulfonyl]-methyl-amino)-3-(4-fluoro-phenyl)-propionic acid;~~
~~2-[4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-sulfonylamino]-3-(3-fluoro-phenyl)-propionic acid;~~
~~2-([4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-sulfonyl]-methyl-amino)-3-(3-fluoro-phenyl)-propionic acid;~~
~~2-([4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-sulfonyl]-ethyl-amino)-3-(4-fluoro-phenyl)-propionic acid;~~
~~2-[4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-sulfonylamino]-4-methyl-pentanoic acid;~~
~~2-[4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-sulfonylamino]-propionic acid;~~
~~2-[4'-(2-Benzyl-benzofuran-3-yl)-biphenyl-4-sulfonylamino]-butyric acid;~~
~~2-(4'-Dibenzofuran-4-yl-biphenyl-4-sulfonylamino)-3-phenyl-propionic acid;~~

~~(4'-Dibenzofuran-4-yl-biphenyl-4-sulfonylamino)-phenyl-~~
~~acetic acid;~~

~~2-[[4-(2-Dibenzofuran-4-yl-thiazol-4-yl)-benzenesulfonyl]-~~
~~ethyl-amino]-3-phenyl-propionic acid;~~

~~(4'-Dibenzofuran-4-yl-biphenyl-4-ylmethoxyimino)-phenyl-~~
~~acetic acid;~~

~~3-(4'-Dibenzofuran-4-yl-biphenyl-4-ylmethoxyimino)-3-~~
~~phenyl-propionic acid;~~

[4'-(5-Chloro-indol-1-yl)-biphenyl-4-yloxy]-phenyl-acetic
acid;

(3-Chloro-4'-dibenzofuran-4-yl-biphenyl-4-yloxy)-phenyl-
acetic acid;

(4'-Dibenzofuran-4-yl-2-methyl-biphenyl-4-yloxy)-phenyl-
acetic acid;

(4'-Dibenzofuran-4-yl-3-fluoro-biphenyl-4-yloxy)-phenyl-
acetic acid;

(2-Chloro-4'-dibenzofuran-4-yl-biphenyl-4-yloxy)-phenyl-
acetic acid; and

(4'-Dibenzofuran-4-yl-2-trifluoromethyl-biphenyl-4-yloxy)-
phenyl-acetic acid.